

Package ‘biocharkit’

July 21, 2026

Title Biochar Characterisation and Adsorption Data Analysis

Version 0.2.0

Description A toolkit for analysing biochar characterisation and batch adsorption experiments. Provides functions to parse structured sample identifiers encoding pyrolysis conditions, read raw FTIR and XRD instrument output, compute adsorption capacity and removal efficiency, fit adsorption isotherms following Langmuir (1918) [<doi:10.1021/ja02242a004>](#) and Sips (1948) [<doi:10.1063/1.1746922>](#) among other models, fit adsorption kinetics following Ho and McKay (1999) [<doi:10.1016/S0032-9592\(98\)00112-5>](#) and Chien and Clayton (1980) [<doi:10.2136/sssaj1980.03615995004400020013x>](#) among other models, fit batches of samples at once, compute van't Hoff thermodynamic parameters, baseline-correct and pick peaks in FTIR spectra, deconvolve XRD patterns into a crystallinity index, compute BET surface area following Brunauer, Emmett, and Teller (1938) [<doi:10.1021/ja01269a023>](#), compute proximate and ultimate analysis summaries, build correlation matrices with p-values, and produce publication-style base-graphics figures including 600 dpi TIFF export. Built on base R ('stats', 'graphics', 'grDevices') so it has no dependency on packages that require external CRAN network access to install.

License MIT + file LICENSE

Encoding UTF-8

RoxygenNote 7.3.1

Depends R (>= 4.0)

Imports stats, utils, graphics, grDevices

Suggests testthat (>= 3.0.0), knitr, rmarkdown

VignetteBuilder knitr

Config/testthat/edition 3

LazyData true

NeedsCompilation no

Author Sukamal Sarkar [aut, cre]

Maintainer Sukamal Sarkar <sukamal.sarkar@gm.rkmvu.ac.in>

Repository CRAN

Date/Publication 2026-07-21 07:00:02 UTC

Contents

assign_ftir_peaks	3
baseline_correct	3
bet_surface_area	4
correlation_matrix	5
find_ftir_peaks	6
fit_confint	7
fit_dr	7
fit_eloovich	8
fit_freundlich	9
fit_intraparticle	9
fit_isotherm_batch	10
fit_kinetics_batch	11
fit_langmuir	12
fit_pfo	13
fit_pso	13
fit_sips	14
fit_temkin	15
fit_vant_hoff	15
ftir_band_reference	16
functional_group_density	17
parse_sbc_id	17
pct_mass_change	18
plot_ftir_spectrum	19
plot_isotherm	19
plot_kinetics	20
proximate_analysis	20
qe_batch	21
read_ftir_txt	22
read_xrd_txt	22
removal_efficiency	23
save_tiff	24
sbc_example	25
ultimate_ratios	26
xrd_crystallinity_index	26
xrd_deconvolve	27

Index	29
--------------	-----------

assign_ftir_peaks	<i>Assign FTIR peak wavenumbers to functional groups</i>
-------------------	--

Description

Matches a vector of observed peak positions (e.g. peak-picked maxima) against a band-assignment reference table.

Usage

```
assign_ftir_peaks(peaks, reference = ftir_band_reference())
```

Arguments

peaks	Numeric vector of observed peak wavenumbers (cm ⁻¹).
reference	A reference table as returned by ftir_band_reference() ; defaults to that table.

Value

A data.frame with columns peak_cm1, group, assignment. Peaks matching no range in the reference get NA group/assignment.

Examples

```
assign_ftir_peaks(c(3420, 2920, 1710, 1600, 1030))
```

baseline_correct	<i>Baseline-correct an FTIR spectrum</i>
------------------	--

Description

Removes a simple estimated baseline from a spectrum before further analysis (e.g. [functional_group_density\(\)](#) or [find_ftir_peaks\(\)](#)). Two methods are provided: "linear" subtracts the straight line connecting the spectrum's first and last points (a common quick correction for a roughly flat, tilted baseline); "rolling_min" subtracts a rolling-minimum envelope, which follows a more uneven baseline at the cost of also shaving the base of broad peaks.

Usage

```
baseline_correct(spectrum, method = c("linear", "rolling_min"), window = 25)
```

Arguments

spectrum	A data frame with columns wavenumber_cm1, intensity (as returned by <code>read_ftir_txt()</code>).
method	"linear" (default) or "rolling_min".
window	For method = "rolling_min", the half-width (in number of points) of the rolling window. Default 25.

Value

A data frame in the same shape as spectrum, with intensity replaced by the baseline-corrected values (never negative; clipped at 0).

Examples

```
spec <- data.frame(wavenumber_cm1 = seq(4000, 400, by = -4),
  intensity = 0.1 + runif(901, 0, 0.05))
corrected <- baseline_correct(spec)
```

bet_surface_area	<i>BET surface area from multi-point gas adsorption data</i>
------------------	--

Description

Fits the linearised multi-point BET (Brunauer-Emmett-Teller) equation $1 / (Q * (P/P_0 - 1)) = 1 / (Q_m * C) + ((C-1) / (Q_m * C)) * (P/P_0)$ by ordinary least squares, then converts the BET monolayer capacity Q_m to a specific surface area using the adsorbate's molecular cross-sectional area.

Usage

```
bet_surface_area(
  P_P0,
  Q,
  cross_sectional_area_nm2 = 0.162,
  molar_volume_cm3mol = 22414
)
```

Arguments

P_P0	Numeric vector of relative pressures (P/P0, dimensionless, between 0 and 1).
Q	Numeric vector of quantity adsorbed at each P_P0, in cm ³ /g at STP (the standard gas-volumetric convention).
cross_sectional_area_nm2	Molecular cross-sectional area of the adsorbate, in nm ² . Default 0.162 (N2 at 77 K, the standard BET probe gas).
molar_volume_cm3mol	Molar volume of an ideal gas at STP, in cm ³ /mol. Default 22414.

Details

Conventionally only points in the relative pressure range P/P_0 roughly 0.05-0.35 are used (where the BET model is valid); this function does not enforce that range for you, so filter P/P_0 and Q before calling if your data extends beyond it.

Value

A list with elements:

<code>Qm_cm3g</code>	BET monolayer capacity ($\text{cm}^3/\text{g STP}$)
<code>C</code>	BET constant (related to adsorbate-adsorbent interaction energy)
<code>SBET_m2g</code>	Specific surface area (m^2/g)
<code>R2</code>	Coefficient of determination of the linear BET fit
<code>model</code>	The underlying <code>lm</code> fit object

Examples

```
P_P0 <- c(0.05, 0.10, 0.15, 0.20, 0.25, 0.30)
Q <- c(12.1, 15.8, 18.9, 21.6, 24.1, 26.8)
bet_surface_area(P_P0, Q)
```

<code>correlation_matrix</code>	<i>Pairwise correlation matrix with p-values</i>
---------------------------------	--

Description

Computes a pairwise correlation matrix (Spearman by default) across all numeric columns of a data frame, along with a matching matrix of p-values from `stats::cor.test()`. Implemented with base R only (no Hmisc dependency).

Usage

```
correlation_matrix(
  df,
  method = c("spearman", "pearson", "kendall"),
  use = "pairwise.complete.obs"
)
```

Arguments

<code>df</code>	A data.frame (non-numeric columns are dropped with a message).
<code>method</code>	Correlation method passed to <code>stats::cor.test()</code> : "spearman" (default), "pearson", or "kendall".
<code>use</code>	Passed to <code>stats::cor.test()</code> for handling of missing values via pairwise complete observations (always used here).

Value

A list with elements `estimate` (correlation coefficient matrix) and `p_value` (matching p-value matrix), both with row/column names equal to the numeric column names of `df`.

Examples

```
df <- data.frame(temp = c(300, 450, 600, 300, 450, 600),
                  EC = c(1.1, 1.8, 2.6, 1.0, 1.9, 2.5),
                  pH = c(7.1, 8.0, 9.2, 7.0, 8.1, 9.0))
correlation_matrix(df)
```

find_ftir_peaks

Automatically pick peaks from a full FTIR spectrum

Description

Finds local maxima in `spectrum$intensity`: a point is a candidate peak if it is the highest point within window indices on either side. Weak shoulders are then filtered out by a minimum prominence requirement (height above the higher of the two valleys flanking the peak). Intended as a quick first pass, not a substitute for visual inspection of the spectrum.

Usage

```
find_ftir_peaks(spectrum, window = 5, min_prominence = 0)
```

Arguments

<code>spectrum</code>	A data frame with columns <code>wavenumber_cm1</code> , <code>intensity</code> .
<code>window</code>	Half-width (in points) used to test local maxima. Default 5.
<code>min_prominence</code>	Minimum prominence (in intensity units) for a local maximum to be kept. Default 0 (keep all local maxima).

Value

A data frame with columns `peak_cm1`, `intensity`, `prominence`, sorted by decreasing intensity.

Examples

```
wn <- seq(4000, 400, by = -2)
spec <- data.frame(
  wavenumber_cm1 = wn,
  intensity = exp(-((wn - 1710)^2) / (2 * 20^2)) +
    exp(-((wn - 2920)^2) / (2 * 30^2))
)
find_ftir_peaks(spec)
```

fit_confint	<i>Confidence intervals for a fitted isotherm, kinetics, or van't Hoff model</i>
-------------	--

Description

Wraps `stats::confint()` around the underlying nls/lm fit object produced by this package's `fit_*`() functions, returning a tidy data frame rather than a bare matrix.

Usage

```
fit_confint(fit, level = 0.95)
```

Arguments

fit	A fit object returned by any of <code>fit_langmuir()</code> , <code>fit_freundlich()</code> , <code>fit_temkin()</code> , <code>fit_dr()</code> , <code>fit_sips()</code> , <code>fit_pfo()</code> , <code>fit_pso()</code> , <code>fit_ellovich()</code> , <code>fit_intraparticle()</code> , or <code>fit_vant_hoff()</code> .
level	Confidence level. Default 0.95.

Value

A data frame with columns parameter, estimate, lower, upper.

Examples

```
Ce <- c(2, 5, 10, 20, 35, 50, 70)
qe <- c(0.8, 1.6, 2.3, 3.0, 3.6, 4.0, 4.4)
fit <- fit_langmuir(Ce, qe)
fit_confint(fit)
```

fit_dr	<i>Fit the Dubinin-Radushkevich (D-R) adsorption isotherm</i>
--------	---

Description

Fits $q_e = q_s * \exp(-K_{ad} * \epsilon^2)$, where $\epsilon = R * \text{temperature_K} * \log(1 + 1/C_e)$ is the Polanyi potential. Also returns the mean free energy of adsorption $E = 1 / \sqrt{2 * K_{ad}}$ (kJ/mol), conventionally used to distinguish physisorption ($E < 8$ kJ/mol) from chemisorption (8-16 kJ/mol).

Usage

```
fit_dr(Ce, qe, temperature_K = 298.15, start = NULL)
```

Arguments

Ce	Numeric vector of equilibrium concentrations (mg/L).
qe	Numeric vector of equilibrium adsorption capacities (mg/g).
temperature_K	Absolute temperature at which the isotherm was measured, in Kelvin. Default 298.15 (25 degC).
start	Optional named list list(qs=, Kad=) of starting values.

Value

A list with elements qs (mg/g), Kad (mol²/kJ²), E (kJ/mol), R2, model.

Examples

```
Ce <- c(2, 5, 10, 20, 35, 50, 70)
qe <- c(0.8, 1.6, 2.3, 3.0, 3.6, 4.0, 4.4)
fit_dr(Ce, qe)
```

fit_elovich

Fit the Elovich kinetics model

Description

Fits $qt = (1/\beta) * \log(1 + \alpha * \beta * t)$, where α is the initial sorption rate (mg/g/min) and β relates to the extent of surface coverage / activation energy for chemisorption (g/mg).

Usage

```
fit_elovich(t, qt, start = NULL)
```

Arguments

t	Numeric vector of contact times.
qt	Numeric vector of adsorption capacity at time t (mg/g).
start	Optional named list list(alpha=, beta=) of starting values.

Value

A list with elements alpha, beta, R2, model.

Examples

```
t <- c(5, 15, 30, 60, 120, 240)
qt <- c(1.2, 2.1, 2.9, 3.6, 4.0, 4.2)
fit_elovich(t, qt)
```

fit_freundlich	<i>Fit the Freundlich adsorption isotherm</i>
----------------	---

Description

Fits $q_e = K_f * C_e^{(1/n)}$ by nonlinear least squares, with a fallback to the linearised form $\log(q_e) = \log(K_f) + (1/n) * \log(C_e)$ fit by OLS if the nonlinear fit fails to converge.

Usage

```
fit_freundlich(Ce, qe, start = NULL)
```

Arguments

Ce	Numeric vector of equilibrium concentrations (mg/L).
qe	Numeric vector of equilibrium adsorption capacities (mg/g).
start	Optional named list list(Kf=, n=) of starting values.

Value

A list with elements Kf, n, R2, method, model (see [fit_langmuir\(\)](#) for details of the structure).

Examples

```
Ce <- c(2, 5, 10, 20, 35, 50)
qe <- c(0.8, 1.6, 2.6, 3.6, 4.2, 4.5)
fit_freundlich(Ce, qe)
```

fit_intraparticle	<i>Fit the intraparticle diffusion (Weber-Morris) kinetics model</i>
-------------------	--

Description

Fits the linear form $q_t = k_{id} * \sqrt{t} + C$, where k_{id} is the intraparticle diffusion rate constant (mg/(g min^{0.5})) and C is related to boundary-layer thickness (C = 0 would indicate intraparticle diffusion is the sole rate-limiting step).

Usage

```
fit_intraparticle(t, qt)
```

Arguments

t	Numeric vector of contact times.
qt	Numeric vector of adsorption capacity at time t (mg/g).

Value

A list with elements kid, C, R2, model (an lm fit on $qt \sim \sqrt{t}$).

Examples

```
t <- c(5, 15, 30, 60, 120, 240)
qt <- c(1.2, 2.1, 2.9, 3.6, 4.0, 4.2)
fit_intraparticle(t, qt)
```

fit_isotherm_batch	<i>Fit an adsorption isotherm separately for each group in a data frame</i>
--------------------	---

Description

Splits df by group_col (e.g. a sample ID column) and fits the chosen isotherm model independently within each group, returning one row of parameters per group. Groups that fail to fit (e.g. too few points, non-convergence) are skipped with a warning rather than aborting the whole batch.

Usage

```
fit_isotherm_batch(
  df,
  group_col,
  ce_col,
  qe_col,
  model = c("langmuir", "freundlich", "temkin", "dr", "sips"),
  temperature_K = 298.15
)
```

Arguments

df	A data frame containing at least group_col, ce_col, and qe_col.
group_col	Name of the grouping column (e.g. sample ID).
ce_col, qe_col	Column names for equilibrium concentration (mg/L) and adsorption capacity (mg/g).
model	One of "langmuir", "freundlich", "temkin", "dr", "sips".
temperature_K	Only used when model = "dr"; see fit_dr() .

Value

A data frame with one row per successfully fitted group, columns group_col plus the model's parameter columns and R2 (column names match what the corresponding single-sample fit_*() function returns).

Examples

```
df <- data.frame(
  id = rep(c("A", "B"), each = 6),
  Ce = rep(c(2, 5, 10, 20, 35, 50), 2),
  qe = c(0.8, 1.6, 2.3, 3.0, 3.6, 4.0, # sample A
        0.5, 1.0, 1.6, 2.2, 2.7, 3.0) # sample B
)
fit_isotherm_batch(df, "id", "Ce", "qe", model = "langmuir")
```

fit_kinetics_batch	<i>Fit adsorption kinetics separately for each group in a data frame</i>
--------------------	--

Description

Splits df by group_col (e.g. a sample ID column) and fits the chosen kinetics model independently within each group, returning one row of parameters per group. Groups that fail to fit are skipped with a warning rather than aborting the whole batch.

Usage

```
fit_kinetics_batch(
  df,
  group_col,
  t_col,
  qt_col,
  model = c("pfo", "pso", "elovich", "intraparticle")
)
```

Arguments

df	A data frame containing at least group_col, t_col, and qt_col.
group_col	Name of the grouping column (e.g. sample ID).
t_col, qt_col	Column names for contact time and adsorption capacity at time t (mg/g).
model	One of "pfo", "pso", "elovich", "intraparticle".

Value

A data frame with one row per successfully fitted group.

Examples

```
df <- data.frame(
  id = rep(c("A", "B"), each = 6),
  t = rep(c(5, 15, 30, 60, 120, 240), 2),
  qt = c(1.2, 2.1, 2.9, 3.6, 4.0, 4.2,
        0.8, 1.5, 2.0, 2.5, 2.8, 3.0)
)
fit_kinetics_batch(df, "id", "t", "qt", model = "pso")
```

fit_langmuir

*Fit the Langmuir adsorption isotherm***Description**

Fits $q_e = (Q_{\max} * K_L * C_e) / (1 + K_L * C_e)$ by nonlinear least squares. If nonlinear fitting fails to converge (common with few points or noisy data), falls back to the linearised form $C_e/q_e = C_e/Q_{\max} + 1/(K_L * Q_{\max})$ fit by ordinary least squares, and flags the result accordingly.

Usage

```
fit_langmuir(Ce, qe, start = NULL)
```

Arguments

Ce	Numeric vector of equilibrium concentrations (mg/L).
qe	Numeric vector of equilibrium adsorption capacities (mg/g).
start	Optional named list of starting values <code>list(Qmax=, KL=)</code> for the nonlinear fit. If NULL, sensible defaults are derived from the data.

Value

A list with elements:

Qmax	Maximum adsorption capacity (mg/g)
KL	Langmuir affinity constant (L/mg)
R2	Coefficient of determination
method	"nonlinear" or "linearised"
model	The underlying nls or lm fit object

Examples

```
Ce <- c(2, 5, 10, 20, 35, 50)
qe <- c(0.8, 1.6, 2.6, 3.6, 4.2, 4.5)
fit_langmuir(Ce, qe)
```

fit_pfo

*Fit pseudo-first-order adsorption kinetics***Description**

Fits $qt = qe * (1 - \exp(-k1 * t))$ by nonlinear least squares.

Usage

```
fit_pfo(t, qt, start = NULL)
```

Arguments

t Numeric vector of contact times.
qt Numeric vector of adsorption capacity at time *t* (mg/g).
start Optional named list `list(qe=, k1=)` of starting values.

Value

A list with elements *qe*, *k1*, *R2*, *model* (an *nls* fit).

Examples

```
t <- c(5, 15, 30, 60, 120, 240)
qt <- c(1.2, 2.1, 2.9, 3.6, 4.0, 4.2)
fit_pfo(t, qt)
```

fit_pso

*Fits $qt = (k2 * qe^2 * t) / (1 + k2 * qe * t)$ by nonlinear least squares.***Description**

Fits $qt = (k2 * qe^2 * t) / (1 + k2 * qe * t)$ by nonlinear least squares.

Usage

```
fit_pso(t, qt, start = NULL)
```

Arguments

t Numeric vector of contact times.
qt Numeric vector of adsorption capacity at time *t* (mg/g).
start Optional named list `list(qe=, k2=)` of starting values.

Value

A list with elements `qe`, `k2`, `R2`, `model` (an `nls` fit).

Examples

```
t <- c(5, 15, 30, 60, 120, 240)
qt <- c(1.2, 2.1, 2.9, 3.6, 4.0, 4.2)
fit_pso(t, qt)
```

fit_sips

Fit the Sips (Langmuir-Freundlich) adsorption isotherm

Description

Fits $q_e = (Q_{\max} * K_s * C_e^{(1/n)}) / (1 + K_s * C_e^{(1/n)})$, a three- parameter hybrid that reduces to Langmuir as $n \rightarrow 1$ and to Freundlich at low C_e .

Usage

```
fit_sips(Ce, qe, start = NULL)
```

Arguments

<code>Ce</code>	Numeric vector of equilibrium concentrations (mg/L).
<code>qe</code>	Numeric vector of equilibrium adsorption capacities (mg/g).
<code>start</code>	Optional named list <code>list(Qmax=, Ks=, n=)</code> of starting values.

Value

A list with elements `Qmax` (mg/g), `Ks`, `n`, `R2`, `model`.

Examples

```
Ce <- c(2, 5, 10, 20, 35, 50, 70)
qe <- c(0.8, 1.6, 2.3, 3.0, 3.6, 4.0, 4.4)
fit_sips(Ce, qe)
```

fit_temkin

*Fit the Temkin adsorption isotherm***Description**

Fits $q_e = B * \log(KT * C_e)$, where $B = RT/b$ is the Temkin constant related to the heat of sorption and KT is the equilibrium binding constant (L/mg).

Usage

```
fit_temkin(Ce, qe, start = NULL)
```

Arguments

Ce Numeric vector of equilibrium concentrations (mg/L).
qe Numeric vector of equilibrium adsorption capacities (mg/g).
start Optional named list list(KT=, B=) of starting values.

Value

A list with elements KT, B, R2, model (an nls fit).

Examples

```
Ce <- c(2, 5, 10, 20, 35, 50, 70)
qe <- c(0.8, 1.6, 2.3, 3.0, 3.6, 4.0, 4.4)
fit_temkin(Ce, qe)
```

fit_vant_hoff

*Van't Hoff thermodynamic analysis of adsorption***Description**

Computes standard enthalpy (ΔH) and entropy (ΔS) of adsorption from the linear van't Hoff relationship $\log(K_c) = \Delta S/R - \Delta H/(R * \text{temperature_K})$, fit by ordinary least squares across temperatures. Standard Gibbs free energy $\Delta G = \Delta H - \text{temperature_K} * \Delta S$ is then computed at each supplied temperature.

Usage

```
fit_vant_hoff(temperature_K, Kc)
```

Arguments

temperature_K	Numeric vector of absolute temperatures (Kelvin) at which adsorption was measured.
Kc	Numeric vector of dimensionless equilibrium distribution coefficients (e.g. q_e / C_e at a fixed initial concentration) at each temperature in temperature_K.

Value

A list with elements:

deltaH_kJmol	Standard enthalpy of adsorption (kJ/mol)
deltaS_JmolK	Standard entropy of adsorption (J/(mol K))
table	A data frame with one row per input temperature: temperature_K, Kc, deltaG_kJmol
R2	Coefficient of determination of the linear van't Hoff fit
model	The underlying lm fit object

Examples

```
temperature_K <- c(298, 308, 318, 328)
Kc <- c(1.8, 2.3, 2.9, 3.4)
fit_vant_hoff(temperature_K, Kc)
```

ftir_band_reference	<i>Reference table of common FTIR functional-group band assignments</i>
---------------------	---

Description

Returns a data.frame of commonly cited FTIR wavenumber ranges and their associated functional-group assignments for biochar/carbon materials, based on standard published band assignments. Intended as a starting reference for [assign_ftir_peaks\(\)](#); users should adjust ranges to match their own literature basis where needed.

Usage

```
ftir_band_reference()
```

Value

A data.frame with columns group, range_low_cm1, range_high_cm1, assignment.

functional_group_density

Functional group density from a full FTIR spectrum

Description

Computes a simple proxy for functional-group density: the integrated (trapezoidal) absorbance/intensity area within each wavenumber region of a reference table, over a full spectrum (not just picked peaks).

Usage

```
functional_group_density(spectrum, reference = ftir_band_reference())
```

Arguments

spectrum	A data.frame with columns wavenumber_cm1, intensity (as returned by read_ftir_txt()).
reference	A reference table as returned by ftir_band_reference() ; defaults to that table.

Value

A data.frame with columns group, range_low_cm1, range_high_cm1, area (trapezoidal integral of intensity over the region) and mean_intensity.

parse_sbc_id

Parse structured biochar sample identifiers

Description

Parses sample IDs of the form <PREFIX><TEMPERATURE>-<TIME> (e.g. "SBC450-30") into their pyrolysis condition components. This matches naming conventions used for factorial pyrolysis designs where a feedstock prefix is followed by pyrolysis temperature (degrees C) and residence time (minutes), separated by a hyphen.

Usage

```
parse_sbc_id(id, prefix_pattern = "[A-Za-z]+")
```

Arguments

id	Character vector of sample identifiers, e.g. c("SBC300-15", "SBC450-30", "SBC600-60").
prefix_pattern	Regex describing the non-numeric feedstock prefix. Defaults to one or more letters ("[A-Za-z]+").

Value

A data.frame with columns id, feedstock, temperature_C, residence_time_min. Rows that do not match the expected pattern have NA in the parsed columns and trigger a warning listing the offending IDs, rather than failing the whole batch.

Examples

```
parse_sbc_id(c("SBC300-15", "SBC450-30", "SBC600-60"))
```

pct_mass_change	<i>Percentage mass loss between two mass measurements</i>
-----------------	---

Description

Simple gravimetric helper: $100 * (initial_mass - final_mass) / initial_mass$. Useful for computing moisture % or volatile matter % from raw balance readings before passing them into [proximate_analysis\(\)](#).

Usage

```
pct_mass_change(initial_mass, final_mass)
```

Arguments

```
initial_mass, final_mass
```

Numeric vectors of mass measurements (any consistent unit, e.g. g).

Value

Numeric vector of percentage mass loss.

Examples

```
pct_mass_change(initial_mass = 5.000, final_mass = 4.812) # e.g. moisture %
```

plot_ftir_spectrum	<i>Plot an FTIR spectrum</i>
--------------------	------------------------------

Description

Line plot of an FTIR spectrum in conventional display orientation (wavenumber decreasing left to right).

Usage

```
plot_ftir_spectrum(spectrum, main = "FTIR spectrum", ...)
```

Arguments

spectrum	A data.frame with columns wavenumber_cm1, intensity (as returned by read_ftir_txt()).
main	Plot title.
...	Further arguments passed to graphics::plot() .

Value

Invisibly, NULL. Called for its side effect of drawing a plot on the current graphics device.

plot_isotherm	<i>Plot an adsorption isotherm fit</i>
---------------	--

Description

Base-graphics scatter of observed (Ce, qe) points with the fitted isotherm curve overlaid.

Usage

```
plot_isotherm(fit, Ce, qe, model = NULL, main = "Adsorption isotherm", ...)
```

Arguments

fit	A fit object from fit_langmuir() , fit_freundlich() , fit_temkin() , fit_dr() , or fit_sips() .
Ce, qe	Original data used for the fit.
model	Which model fit represents: "langmuir", "freundlich", "temkin", "dr", or "sips". If NULL, inferred from the names of fit where unambiguous (Langmuir vs Freundlich only, for backwards compatibility) — for the other models, model must be supplied explicitly.
main	Plot title.
...	Further arguments passed to graphics::plot() .

Value

Invisibly, NULL. Called for its side effect of drawing a plot on the current graphics device.

plot_kinetics	<i>Plot a kinetics fit</i>
---------------	----------------------------

Description

Base-graphics scatter of observed (t, qt) points with the fitted kinetics curve overlaid.

Usage

```
plot_kinetics(  
  fit,  
  t,  
  qt,  
  model = c("pfo", "pso", "elovich", "intraparticle"),  
  main = "Adsorption kinetics",  
  ...  
)
```

Arguments

fit	A fit object from fit_pfo() , fit_pso() , fit_elovich() , or fit_intraparticle() .
t, qt	Original data used for the fit.
model	Which model fit represents: "pfo", "pso", "elovich", or "intraparticle".
main	Plot title.
...	Further arguments passed to graphics::plot() .

Value

Invisibly, NULL. Called for its side effect of drawing a plot on the current graphics device.

proximate_analysis	<i>Proximate analysis summary (moisture, volatile matter, ash, fixed carbon)</i>
--------------------	--

Description

Combines independently measured moisture %, volatile matter %, and ash % (e.g. each computed via [pct_mass_change\(\)](#) from its own sub-sample, following standard gravimetric proximate analysis protocols) into a full proximate analysis table, computing fixed carbon by difference: $FC\% = 100 - \text{moisture}\% - \text{VM}\% - \text{ash}\%$.

Usage

```
proximate_analysis(moisture_pct, volatile_matter_pct, ash_pct)
```

Arguments

moisture_pct, volatile_matter_pct, ash_pct
 Numeric vectors (recycled to a common length) of each percentage, on an as-received mass basis.

Value

A data frame with columns moisture_pct, VM_pct, ash_pct, fixed_carbon_pct. A warning is issued (not an error) for any row where the components sum to more than 100%, since that indicates a likely measurement or transcription issue rather than a computable negative fixed-carbon value.

Examples

```
proximate_analysis(moisture_pct = 3.2, volatile_matter_pct = 28.5, ash_pct = 12.1)
```

qe_batch	<i>Batch adsorption capacity (qe)</i>
----------	---------------------------------------

Description

Computes the equilibrium adsorption capacity for a batch adsorption experiment: $q_e = (C_0 - C_e) * V / m$.

Usage

```
qe_batch(C0, Ce, V, m)
```

Arguments

C0 Initial solute concentration (mg/L).
 Ce Equilibrium solute concentration (mg/L).
 V Solution volume (L).
 m Adsorbent (biochar) mass (g).

Value

Numeric vector of adsorption capacities in mg/g. Recycled element-wise across C0, Ce, V, m.

Examples

```
qe_batch(C0 = 50, Ce = 12.5, V = 0.05, m = 0.1)
```

read_ftir_txt	<i>Read a two-column FTIR spectrum export</i>
---------------	---

Description

Reads plain-text FTIR exports (e.g. from PerkinElmer ATR-FTIR software) consisting of two numeric columns (wavenumber and absorbance/transmittance), possibly preceded by header/metadata lines and using either comma, tab, or whitespace as a delimiter. Uses base `readLines()/strsplit()` rather than a heavier parser so that malformed or partially-exported files degrade gracefully (bad lines are skipped and reported) instead of aborting the whole read.

Usage

```
read_ftir_txt(
  path,
  skip_pattern = "^\\s*-?[0-9]",
  col_names = c("wavenumber_cm1", "intensity")
)
```

Arguments

path	Path to the text file.
skip_pattern	Regex used to identify non-data header lines to skip. Defaults to lines that don't start with an optional minus sign and a digit.
col_names	Column names to assign, default <code>c("wavenumber_cm1", "intensity")</code> .

Value

A `data.frame` with the two numeric columns, sorted by `wavenumber_cm1` descending (conventional FTIR display order), with a `attr(, "skipped_lines")` attribute recording line numbers that could not be parsed.

read_xrd_txt	<i>Read a two-column XRD pattern export</i>
--------------	---

Description

Reads plain-text XRD exports (e.g. from Rigaku SmartLab, Cu K-alpha) consisting of two-theta and intensity columns. Same defensive `readLines()/strsplit()` approach as [read_ftir_txt\(\)](#).

Usage

```
read_xrd_txt(
  path,
  skip_pattern = "^\\s*-?[0-9]",
  col_names = c("two_theta", "intensity")
)
```

Arguments

path	Path to the text file.
skip_pattern	Regex used to identify non-data header lines to skip. Defaults to lines that don't start with an optional minus sign and a digit.
col_names	Column names to assign, default <code>c("two_theta", "intensity")</code> .

Value

A data.frame with columns two_theta, intensity, sorted by two_theta ascending.

removal_efficiency	<i>Percentage removal efficiency</i>
--------------------	--------------------------------------

Description

Computes percentage removal: $100 * (C_0 - C_e) / C_0$.

Usage

```
removal_efficiency(C0, Ce)
```

Arguments

C0	Initial solute concentration (mg/L).
Ce	Equilibrium solute concentration (mg/L).

Value

Numeric vector of removal efficiencies (%).

Examples

```
removal_efficiency(C0 = 50, Ce = 12.5)
```

save_tiff

Save a base-graphics plot as a 600 dpi TIFF

Description

Wraps a plotting expression in a `grDevices::tiff()` device at publication resolution (600 dpi by default) with LZW compression, matching a common journal figure requirement. The font family defaults to "serif", which maps to Liberation Serif on most Linux systems (a metric-compatible substitute for Times New Roman).

Usage

```
save_tiff(expr, filename, width = 6, height = 5, dpi = 600, family = "serif")
```

Arguments

<code>expr</code>	An expression (typically a call to one of the <code>plot_*</code> () functions in this package, or any base-graphics plotting code) to evaluate with the device open. Pass as { ... } for multi-line code.
<code>filename</code>	Output file path, should end in <code>.tif/.tiff</code> .
<code>width, height</code>	Figure size in inches.
<code>dpi</code>	Resolution in dots per inch. Default 600.
<code>family</code>	Font family for the device. Default "serif".

Value

Invisibly, the filename.

Examples

```
Ce <- c(2, 5, 10, 20, 35, 50, 70)
qe <- c(0.8, 1.6, 2.3, 3.0, 3.6, 4.0, 4.4)
path <- tempfile(fileext = ".tif")
save_tiff(plot_isotherm(fit_langmuir(Ce, qe), Ce, qe), filename = path)
file.exists(path)
unlink(path)
```

sbc_example	<i>Synthetic example biochar dataset</i>
-------------	--

Description

A small, randomly generated dataset in the shape of a 3x3 factorial pyrolysis design (temperature x residence time), used only to demonstrate and test package functions in examples and tests.

Usage

```
sbc_example
```

Format

A data frame with 9 rows and 7 columns:

id Synthetic sample identifier, e.g. "SBC450-30"

temperature_C Pyrolysis temperature (degrees C)

residence_time_min Pyrolysis residence time (minutes)

pH Synthetic pH value

EC_dS_m Synthetic electrical conductivity (dS/m)

Ce_mgL Synthetic equilibrium solute concentration (mg/L)

qe_mgg Synthetic adsorption capacity (mg/g)

Details

This is synthetic data, not experimental measurements. Values were generated with a fixed random seed to follow a plausible but entirely artificial trend, and must not be cited, plotted alongside real results, or otherwise treated as real biochar characterisation data. See `data-row/generate_example_data.R` for the generating code.

Source

Randomly generated; see `data-row/generate_example_data.R`.

ultimate_ratios	<i>Atomic ratios from ultimate (CHNS) elemental analysis</i>
-----------------	--

Description

Converts elemental mass percentages (from a CHNS/CHNSO analyser) to atomic ratios (H/C, O/C, and optionally N/C), the standard inputs for a Van Krevelen diagram. Uses standard atomic weights (C 12.011, H 1.008, O 15.999, N 14.007).

Usage

```
ultimate_ratios(C_pct, H_pct, O_pct, N_pct = NULL)
```

Arguments

C_pct, H_pct, O_pct	Numeric vectors of carbon, hydrogen, and oxygen mass percentages.
N_pct	Optional numeric vector of nitrogen mass percentage; if supplied, N/C is also returned.

Details

Note: O_pct is very often obtained by difference ($100 - C - H - N - S - \text{ash}$) rather than measured directly; supply whichever value your own workflow produced.

Value

A data frame with columns HC_ratio, OC_ratio, and (if N_pct supplied) NC_ratio.

Examples

```
ultimate_ratios(C_pct = 65.2, H_pct = 2.8, O_pct = 18.4, N_pct = 1.1)
```

xrd_crystallinity_index	<i>Peak-area crystallinity index from an XRD pattern</i>
-------------------------	--

Description

Computes a simple crystallinity index as the ratio of crystalline peak area to total (crystalline + amorphous) area, following the common peak-area deconvolution approach used for carbon materials: $CI = A_{\text{crystalline}} / (A_{\text{crystalline}} + A_{\text{amorphous}})$.

Usage

```
xrd_crystallinity_index(area_crystalline, area_amorphous)
```

Arguments

- area_crystalline Numeric: integrated area of crystalline peak(s).
- area_amorphous Numeric: integrated area of the amorphous "hump".

Details

This function does not perform peak fitting/deconvolution itself; it expects the user to have already separated crystalline vs. amorphous contributions (e.g. via baseline subtraction and peak integration in their preferred XRD software), and simply computes the ratio from the resulting areas. This keeps the function honest about not fabricating peak-fitting results it cannot verify.

Value

Numeric crystallinity index between 0 and 1.

Examples

```
xrd_crystallinity_index(area_crystalline = 1200, area_amorphous = 800)
```

xrd_deconvolve	<i>Simplified multi-Gaussian XRD peak deconvolution</i>
----------------	---

Description

Fits a sum of Gaussian peaks to an XRD pattern at user-supplied approximate peak centers (2theta), by simultaneous nonlinear least squares. From the fitted peak areas and the total pattern area, also computes a crystallinity index (see [xrd_crystallinity_index\(\)](#)) by treating everything not accounted for by the fitted crystalline peaks as the amorphous contribution.

Usage

```
xrd_deconvolve(two_theta, intensity, peak_centers, start_width = 1)
```

Arguments

- two_theta, intensity Numeric vectors: the diffraction angle (degrees 2theta) and intensity of the pattern. Should already be baseline-corrected (e.g. via an approach analogous to [baseline_correct\(\)](#)) so that intensity represents peak signal above a flat zero.
- peak_centers Numeric vector of approximate 2theta positions for the crystalline peaks to fit.
- start_width Starting value (degrees 2theta) for each peak's Gaussian width. Default 1.

Details

This is a practical, simplified tool intended for a handful of well-separated peaks on an already baseline-corrected pattern — it is not a substitute for Rietveld refinement or dedicated diffraction software, and may fail to converge for patterns with many strongly overlapping peaks (in which case, try narrowing `peak_centers` to the most prominent peaks, or refine starting values manually).

Value

A list with elements:

<code>peaks</code>	A data frame with one row per peak: center, height, width, area
<code>crystallinity_index</code>	$\text{sum}(\text{peaks\$area}) / \text{total pattern area}$
<code>R2</code>	Coefficient of determination of the overall multi-Gaussian fit
<code>model</code>	The underlying nls fit object

Examples

```
set.seed(1)
two_theta <- seq(10, 40, by = 0.1)
intensity <- 300 * exp(-((two_theta - 22)^2) / (2 * 0.8^2)) +
  150 * exp(-((two_theta - 29)^2) / (2 * 0.6^2)) +
  rnorm(length(two_theta), 0, 3)
intensity <- pmax(0, intensity)
xrd_deconvolve(two_theta, intensity, peak_centers = c(22, 29))
```

Index

* datasets

sbc_example, 25

assign_ftir_peaks, 3
assign_ftir_peaks(), 16

baseline_correct, 3
baseline_correct(), 27
bet_surface_area, 4

correlation_matrix, 5

find_ftir_peaks, 6
find_ftir_peaks(), 3
fit_confint, 7
fit_dr, 7
fit_dr(), 7, 10, 19
fit_ellovich, 8
fit_ellovich(), 7, 20
fit_freundlich, 9
fit_freundlich(), 7, 19
fit_intraparticle, 9
fit_intraparticle(), 7, 20
fit_isotherm_batch, 10
fit_kinetics_batch, 11
fit_langmuir, 12
fit_langmuir(), 7, 9, 19
fit_pfo, 13
fit_pfo(), 7, 20
fit_pso, 13
fit_pso(), 7, 20
fit_sips, 14
fit_sips(), 7, 19
fit_temkin, 15
fit_temkin(), 7, 19
fit_vant_hoff, 15
fit_vant_hoff(), 7
ftir_band_reference, 16
ftir_band_reference(), 3, 17
functional_group_density, 17

functional_group_density(), 3

graphics::plot(), 19, 20

parse_sbc_id, 17
pct_mass_change, 18
pct_mass_change(), 20
plot_ftir_spectrum, 19
plot_isotherm, 19
plot_kinetics, 20
proximate_analysis, 20
proximate_analysis(), 18

qe_batch, 21

read_ftir_txt, 22
read_ftir_txt(), 4, 17, 19, 22
read_xrd_txt, 22
removal_efficiency, 23

save_tiff, 24
sbc_example, 25
stats::confint(), 7
stats::cor.test(), 5

ultimate_ratios, 26

xrd_crystallinity_index, 26
xrd_crystallinity_index(), 27
xrd_deconvolve, 27