

# Package ‘arcgis’

April 25, 2025

**Title** ArcGIS Location Services Meta-Package

**Version** 0.2.0

**Description** Provides easy installation and loading of core ArcGIS location services packages 'arcgislayers', 'arcgisutils', 'arcgisgeocode', and 'arcgisplaces'. Enabling developers to interact with spatial data and services from 'ArcGIS Online', 'ArcGIS Enterprise', and 'ArcGIS Platform'. Learn more about the 'arcgis' meta-package at <<https://developers.arcgis.com/r-bridge/>>.

**Language** en

**License** Apache License (>= 2)

**Encoding** UTF-8

**Imports** arcgisgeocode (>= 0.1.0), arcgislayers (>= 0.2.0), arcgisplaces (>= 0.1.0), arcgisutils (>= 0.3.0), cli, httr2 (>= 1.0.0), utils

**RoxygenNote** 7.3.2

**Suggests** arcpbf, calcite, testthat (>= 3.0.0)

**Config/testthat/edition** 3

**Config/Needs/website** rmarkdown

**URL** <https://github.com/R-ArcGIS/arcgis/>,  
<https://developers.arcgis.com/r-bridge/>

**Config/rextendr/version** 0.3.1.9000

**SystemRequirements** Cargo (Rust's package manager), rustc

**NeedsCompilation** no

**Author** Josiah Parry [aut, cre] (<<https://orcid.org/0000-0001-9910-865X>>)

**Maintainer** Josiah Parry <josiah.parry@gmail.com>

**Repository** CRAN

**Date/Publication** 2025-04-25 12:10:05 UTC

## Contents

arcgis\_packages . . . . . 2

**Index** 3

---

arcgis\_packages      *List all arcgis packages*

---

### Description

List all arcgis packages

### Usage

```
arcgis_packages(include_self = TRUE)
```

### Arguments

`include_self`      default TRUE. Includes the "arcgis" package name in the resultant character vector.

### Value

A character vector of package names included in the "arcgis" meta-package.

### Examples

```
arcgis_packages()
```

# Index

arcgis\_packages, [2](#)