

Package ‘spGARCH’

April 9, 2025

Type Package

Title Spatial ARCH and GARCH Models (spGARCH)

Version 0.2.3

Maintainer Philipp Otto <philipp.otto89@gmail.com>

Contact <philipp.otto89@gmail.com>

Description

A collection of functions to deal with spatial and spatiotemporal autoregressive conditional heteroscedasticity (spatial ARCH and GARCH models) by Otto, Schmid, Garthoff (2018, Spatial Statistics) <doi:10.1016/j.spasta.2018.07.005>; simulation of spatial ARCH-type processes (spARCH, log/exponential-spARCH, complex-spARCH); quasi-maximum-likelihood estimation of the parameters of spARCH models and spatial autoregressive models with spARCH disturbances, diagnostic checks, visualizations.

License GPL

Encoding UTF-8

Depends R (>= 3.1.0)

Imports Rcpp (>= 0.12.4), stats, truncnorm, Rsolnp, spdep, Matrix, nleqslv, methods, crayon

LinkingTo Rcpp, RcppEigen, Matrix

NeedsCompilation yes

Author Philipp Otto [cre, aut] (<<https://orcid.org/0000-0002-9796-6682>>)

Repository CRAN

Date/Publication 2025-04-09 11:40:01 UTC

Contents

extractAIC.spARCH	2
fitted.spARCH	3
logLik.spARCH	3
plot.spARCH	4
prostate_cancer	5
qml.SARspARCH	6

qml.spARCH	9
residuals.spARCH	12
sim.spARCH	12
sim.spGARCH	15
spARCH	18
spGARCH	18
summary.spARCH	19

Index	21
--------------	-----------

extractAIC.spARCH	<i>Computes the Akaike information criterion</i>
-------------------	--

Description

The function extracts the log-likelihood of a spatial ARCH model.

Usage

```
## S3 method for class 'spARCH'
extractAIC(fit, scale, k = 2, ...)
```

Arguments

fit	spARCH object (fitted model resulting of qml.spARCH).
scale	currently unused for spARCH objects.
k	parameter specifying the weight for the penalizing term.
...	Other arguments.

Details

Numeric vector of length 2 is returned. The first element specify the edf (equivalent degree of freedom) and the Akaike information criterion is returned as second element.

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

fitted.spARCH	<i>Extract model fitted values</i>
---------------	------------------------------------

Description

The function extracts the fitted values of a spatial ARCH model.

Usage

```
## S3 method for class 'spARCH'  
## S3 method for class 'spARCH'  
fitted(object, ...)
```

Arguments

object	spARCH object generated by qml.spARCH or qml.SARspARCH .
...	Other arguments.

Details

Fitted values extracted from the object.

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

See Also

[residuals.spARCH](#), [logLik.spARCH](#).

logLik.spARCH	<i>Extract logarithmic likelihood</i>
---------------	---------------------------------------

Description

The function extracts the log-likelihood of a spatial ARCH model.

Usage

```
## S3 method for class 'spARCH'  
## S3 method for class 'spARCH'  
logLik(object, ...)
```

Arguments

object	spARCH Object of qml.spARCH .
...	Other arguments.

Details

logLik object is returned.

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

See Also

[residuals.spARCH](#), [fitted.spARCH](#).

plot.spARCH

Descriptive plots for residuals of a fitted spatial ARCH model

Description

The function depicts several descriptive statistics of the residuals of a fitted spatial ARCH model.

Usage

```
## S3 method for class 'spARCH'
## S3 method for class 'spARCH'
plot(x, which = c(1:3), ask, ..., qqline = TRUE)
```

Arguments

x	spARCH object generated by qml.spARCH or qml.SARspARCH .
which	Index number of plot to be returned.
ask	if TRUE, the user is asked before plotting the next figure.
...	Other arguments.
qqline	A line of the normal distribution for comparison is added to the Q-Q plot, if qqline = TRUE.

Details

The function `plot.spARCH` provides several descriptive plots to analyze the residuals of a fitted spatial ARCH model, namely (1) Moran's plot for residuals, (2) Moran's plot for squared residuals, and (3) Normal Q-Q plot for standardized residuals.

Note

For details of `moran.plot` see: `help(moran.plot)`.

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

prostate_cancer

Logarithmic incidence rates of prostate cancer and covariates

Description

The dataset contains logarithmic incidence rates from the National Cancer Institute and Centers for Disease, Control and Prevention (State Cancer Profiles) and factor loadings of a set of covariates. The incidence rates are 5-year averages from 2008 to 2012 in several southeastern states (Arkansas, Louisiana, Mississippi, Tennessee, North and South Carolina, Georgia, Alabama, and Florida). Missing values were imputed by spatial averaging.

Usage

```
data("prostate_cancer")
```

Format

A list with three entries:

`data` a data frame; see below for details

`B` a numeric matrix; weighting matrix `B` to run the example

`W` a numeric matrix; weighting matrix `W` to run the example

The data frame contains 755 observations of the following 12 variables.

`log_incidence_rates` a numeric vector; logarithmic incidence rates of prostate cancer

`F_1` a numeric vector; scores of factor 1 (environment: fine atmospheric particles and aerosols)

`F_2` a numeric vector; scores of factor 2 (environment: particulate matter)

`F_3` a numeric vector; scores of factor 3 (weather: solar radiation and temperature)

`F_4` a numeric vector; scores of factor 4 (weather: temperature differences)

`F_5` a numeric vector; scores of factor 5 (behavior: smoking)

`F_6` a numeric vector; scores of factor 6 (behavior: drinking)

`F_7` a numeric vector; scores of factor 7 (behavior: preventive health care)

`F_8` a numeric vector; scores of factor 8 (behavior: physical activity)

`F_9` a numeric vector; scores of factor 9 (health: overweight)

`F_10` a numeric vector; scores of factor 10 (health: cholesterol and blood pressure)

`PSA_test` a numeric vector; percentage of positive results for a prostate-specific antigen (PSA) test

Source

<https://statecancerprofiles.cancer.gov/index.html>

National Cancer Institute, Centers for Disease, Control and Prevention

References

<https://statecancerprofiles.cancer.gov/map/map.withimage.php?99&001&001&00&0&02&0&1&10>
 Otto, P. (2019). spGARCH: An R-Package for Spatial and Spatiotemporal ARCH and GARCH models To appear: The R Journal URL: <https://arxiv.org/abs/1812.01871>

Examples

```
data(prostate_cancer)

## Not run:

# Estimation (long running example)
formula <- "log_incidence_rates ~ F_2 + F_10"
out <- qml.SARspARCH(formula, B = prostate_cancer$B, W = prostate_cancer$W,
                     type = "spARCH", data = prostate_cancer$data)

# Summary
summary(out)

## End(Not run)
```

qml.SARspARCH	<i>Maximum-likelihood estimation of a spatial autoregressive model with spatial ARCH residuals</i>
---------------	--

Description

The function fits a spatial autoregressive model with spatial ARCH residuals using the maximum-likelihood approach. All parameters are jointly estimated. In addition, external regressor may be included in the mean equation.

Usage

```
qml.SARspARCH(formula, B, W, type = "spARCH", data = NULL,
              b = 2, start = NULL, eigen_v = NULL, control = list())
```

Arguments

formula	an object of class " formula "): a symbolic description of the model to be fitted. The details of model specification are given under "Details." y must be a numeric vector of length n (dimension of the weighting matrix)
B	n times n spatial weight matrix for the spatial autoregressive part
W	n times n spatial weight matrix for the spatial ARCH residuals
type	type of spatial ARCH model to be fitted for the error process (see Details)

data	an optional data frame, list or environment containing the variables in the model. If not found in data, the variables are taken from the working space.
b	parameter b for the E-spARCH model (type = "exp"), must be a (positive) natural number
start	vector of starting values for the numerical optimization of the log-likelihood (optional)
eigen_v	eigen values of B (optional)
control	list of control variables for iterative maximization of the log-likelihood

Details

For type = "spARCH", the functions fits a simple spatial autoregressive model with spatial ARCH residuals, i.e.,

$$\mathbf{Y} = \lambda \mathbf{B} \mathbf{Y} + \mathbf{X} \boldsymbol{\beta} + \mathbf{h}^{1/2} \boldsymbol{\varepsilon}$$

with

$$\mathbf{h} = \alpha \mathbf{1}_n + \rho \mathbf{W} \mathbf{Y}^{(2)}.$$

The distribution of the error term is assumed to be Gaussian.

If type = "log-ARCH", a spatial log-ARCH process is estimated for the error term, i.e.,

$$\ln(\mathbf{h}) = \alpha \mathbf{1}_n + \rho \mathbf{W} g_b(\boldsymbol{\varepsilon}).$$

The function g_b is defined as

$$g_b(\boldsymbol{\varepsilon}) = (\ln |\varepsilon(\mathbf{s}_1)|^b, \dots, \ln |\varepsilon(\mathbf{s}_n)|^b)'$$

and the error term is also assumed to be Gaussian.

The modelling equation can be specified as for `lm`, i.e., as `formula` object. A typical model has the form `response ~ terms` where `response` is the (numeric) response vector and `terms` is a series of terms which specifies a linear predictor for response. A terms specification of the form `first + second` indicates all the terms in `first` together with all the terms in `second` with duplicates removed. A specification of the form `first:second` indicates the set of terms obtained by taking the interactions of all terms in `first` with all terms in `second`. The specification `first*second` indicates the cross of `first` and `second`. This is the same as `first + second + first:second`. However, there is no offset permitted for the `qml.SARspARCH`.

For an intercept-only model, the `formula` can be specified as `response ~ 1`. In addition, it is possible to fit an intercept-free model with `response ~ 0` or `response ~ 0 + terms`.

To summarize the results of the model fit, use the generic function `summary`. For analysis of the residuals, the generic `plot.spARCH` function provides several descriptive plots. For numerical maximization of the log-likelihood, the function uses the algorithm of `solnp` from the package `Rsolnp`.

Value

A `spARCH` object with the following elements is returned:

coefficients	Parameter estimates α and ρ .
residuals	Vector of residuals.

fitted.values	Fitted values.
stderr	Standard errors of the estimates (Cramer-Rao estimates).
hessian	Hessian matrix of the negative Log-Likelihood at the estimated minimum.
LL	Value of the Log-Likelihood at the estimated maximum.
h	Fitted vector \mathbf{h} .
y	Vector of observations (input values).
h	Chosen type (input).
B	Spatial weight matrix (input).
W	Spatial weight matrix (input).
regressors	Are regressors included? TRUE/FALSE
AR	Is an autoregressive term in the mean equation? TRUE/FALSE
X	Matrix of regressors if regressor = TRUE

Control Arguments

see also: [solnp](#)

- rho - This is used as a penalty weighting scalar for infeasibility in the augmented objective function. The higher its value the more the weighting to bring the solution into the feasible region (default 1). However, very high values might lead to numerical ill conditioning or significantly slow down convergence.
- outer.iter - Maximum number of major (outer) iterations (default 400).
- inner.iter - Maximum number of minor (inner) iterations (default 800).
- delta - Relative step size in forward difference evaluation (default 1.0e-7).
- tol - Relative tolerance on feasibility and optimality (default 1e-8).
- trace - The value of the objective function and the parameters is printed at every major iteration (default 1).

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

References

Philipp Otto, Wolfgang Schmid, Robert Garthoff (2018). Generalised Spatial and Spatiotemporal Autoregressive Conditional Heteroscedasticity. *Spatial Statistics* 26, pp. 125-145. [doi:10.1016/j.spasta.2018.07.005](https://doi.org/10.1016/j.spasta.2018.07.005), arXiv: [doi:10.48550/arXiv.1609.00711](https://arxiv.org/abs/1609.00711)

See Also

[solnp](#) (package [Rsolnp](#))

Examples

```

require("spdep")
rho <- 0.5
alpha <- 1
lambda <- 0.5
d <- 5
n <- d^2
nblast <- cell2nb(d, d, type = "queen")
W <- nb2mat(nblast)
B <- W

X <- cbind(rep(1, n), rnorm(n))
beta <- c(5, 2)

y <- solve(diag(n) - lambda * B) %*%
  (sim.spARCH(n = n, rho = rho, alpha = alpha, W = W, type = "log-spARCH") + X %*% beta)
y <- as.vector(y)
out <- qml.SARspARCH(y ~ X[,2], B = B, W = W, type = "log-spARCH")

summary(out)

```

 qml.spARCH

Maximum-likelihood estimation of a spatial ARCH model

Description

The function fits a spatial ARCH model using the maximum-likelihood approach. In addition, external regressor may be included in the mean equation.

Usage

```

qml.spARCH(formula, W, type = "spARCH", data = NULL,
            b = 2, start = NULL, control = list())

```

Arguments

formula	an object of class " formula "): a symbolic description of the model to be fitted. The details of model specification are given under "Details." y must be a numeric vector of length n (dimension of the weighting matrix)
W	n times n spatial weight matrix
type	type of spatial ARCH model to be fitted (see Details)
data	an optional data frame, list or environment containing the variables in the model. If not found in data, the variables are taken from the working space.
b	parameter b for the E-spARCH model (type = "exp"), must be a (positive) natural number
start	vector of starting values for the numerical optimization of the log-likelihood (optional)
control	list of control variables for iterative maximization of the log-likelihood

Details

For type = "spARCH", the function fits a simple spatial ARCH model with one spatial lag, i.e.,

$$\mathbf{Y} = \mathbf{X}\boldsymbol{\beta} + \mathbf{h}^{1/2}\boldsymbol{\varepsilon}$$

with

$$\mathbf{h} = \alpha\mathbf{1}_n + \rho\mathbf{W}\mathbf{Y}^{(2)}.$$

The distribution of the error term is assumed to be Gaussian.

If type = "log-spARCH", a spatial log-ARCH process is estimated, i.e.,

$$\ln(\mathbf{h}) = \alpha\mathbf{1}_n + \rho\mathbf{W}g_b(\boldsymbol{\varepsilon}).$$

The function g_b is defined as

$$g_b(\boldsymbol{\varepsilon}) = (\ln|\varepsilon(\mathbf{s}_1)|^b, \dots, \ln|\varepsilon(\mathbf{s}_n)|^b)'$$

and the error term is also assumed to be Gaussian.

The modelling equation can be specified as for `lm`, i.e., as `formula` object. A typical model has the form `response ~ terms` where `response` is the (numeric) response vector and `terms` is a series of terms which specifies a linear predictor for response. A terms specification of the form `first + second` indicates all the terms in `first` together with all the terms in `second` with duplicates removed. A specification of the form `first:second` indicates the set of terms obtained by taking the interactions of all terms in `first` with all terms in `second`. The specification `first*second` indicates the cross of `first` and `second`. This is the same as `first + second + first:second`. However, there is no offset permitted for the `qml.spARCH`.

For an intercept-only model, the `formula` can be specified as `response ~ 1`. In addition, it is possible to fit an intercept-free model with `response ~ 0` or `response ~ 0 + terms`.

To summarize the results of the model fit, use the generic function `summary`. For analysis of the residuals, the generic `plot` provides several descriptive plots. For numerical maximization of the log-likelihood, the function uses the algorithm of `solnp` from the package `Rsolnp`.

Value

A `spARCH` object with the following elements is returned:

<code>coefficients</code>	Parameter estimates α and ρ .
<code>residuals</code>	Vector of residuals.
<code>fitted.values</code>	Fitted values.
<code>stderr</code>	Standard errors of the estimates (Cramer-Rao estimates).
<code>hessian</code>	Hessian matrix of the negative Log-Likelihood at the estimated minimum.
<code>LL</code>	Value of the Log-Likelihood at the estimated maximum.
<code>h</code>	Fitted vector \mathbf{h} .
<code>y</code>	Vector of observations (input values).
<code>h</code>	Chosen type (input).
<code>W</code>	Spatial weight matrix (input).
<code>regressors</code>	Are regressors included? TRUE/FALSE
<code>AR</code>	Is an autoregressive term in the mean equation? TRUE/FALSE
<code>X</code>	Matrix of regressors if regressor = TRUE

Control Arguments

see also: [solnp](#)

- `rho` - This is used as a penalty weighting scalar for infeasibility in the augmented objective function. The higher its value the more the weighting to bring the solution into the feasible region (default 1). However, very high values might lead to numerical ill conditioning or significantly slow down convergence.
- `outer.iter` - Maximum number of major (outer) iterations (default 400).
- `inner.iter` - Maximum number of minor (inner) iterations (default 800).
- `delta` - Relative step size in forward difference evaluation (default 1.0e-7).
- `tol` - Relative tolerance on feasibility and optimality (default 1e-8).
- `trace` - The value of the objective function and the parameters is printed at every major iteration (default 1).

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

References

Philipp Otto, Wolfgang Schmid, Robert Garthoff (2018). Generalised Spatial and Spatiotemporal Autoregressive Conditional Heteroscedasticity. *Spatial Statistics* 26, pp. 125-145. doi:[10.1016/j.spasta.2018.07.005](https://doi.org/10.1016/j.spasta.2018.07.005), arXiv: doi:[10.48550/arXiv.1609.00711](https://doi.org/10.48550/arXiv.1609.00711)

See Also

[solnp](#) (package [Rsolnp](#))

Examples

```
require("spdep")

# directional spatial ARCH process (W is triangular, 1:1 origin)

rho <- 0.5
alpha <- 1
d <- 5
n <- d^2
nblist <- cell2nb(d, d, type = "queen")
W <- nb2mat(nblist)
W[lower.tri(W)] <- 0
y <- sim.spARCH(n = n, rho = rho, alpha = alpha, W = W, type = "spARCH")

out <- qml.spARCH(y ~ 0, W = W, type = "spARCH")

summary(out)
```

residuals.spARCH	<i>Extract model residuals</i>
------------------	--------------------------------

Description

The function extracts the residuals of a fitted spatial ARCH model.

Usage

```
## S3 method for class 'spARCH'  
## S3 method for class 'spARCH'  
residuals(object, ...)
```

Arguments

object	spARCH object generated by qml.spARCH or qml.SARspARCH .
...	Other arguments.

Details

The function extracts the residuals of a fitted spatial ARCH model.

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

See Also

[residuals.spARCH](#), [fitted.spARCH](#).

sim.spARCH	<i>Simulation of spatial ARCH models</i>
------------	--

Description

The function generates n random numbers of a spatial ARCH process for given parameters and weighting schemes.

Usage

```
sim.spARCH(n = dim(W)[1], rho, alpha, W, b = 2, type = "spARCH", control = list())
```

Arguments

n	number of observations. If $\text{length}(n) > 1$, the length is taken to be the number required. Default $\text{dim}(\mathbf{W})[1]$
rho	spatial dependence parameter rho
alpha	unconditional variance level alpha
W	n times n spatial weight matrix
b	parameter b for logarithmic spatial ARCH (only needed if type = "log-spARCH"). Default 2.
type	type of simulated spARCH process (see details)
control	list of control arguments (see below)

Details

The function simulates n observations $Y = (Y_1, \dots, Y_n)'$ of a spatial ARCH process, i.e.,

$$\mathbf{Y} = \text{diag}(\mathbf{h})^{1/2} \boldsymbol{\varepsilon},$$

where $\boldsymbol{\varepsilon}$ is a spatial White Noise process. The definition of \mathbf{h} depends on the chosen type. The following types are available.

- type = "spARCH" - simulates $\boldsymbol{\varepsilon}$ from a truncated normal distribution on the interval $[-a, a]$, such that $\mathbf{h} > \mathbf{0}$ with

$$\mathbf{h} = \alpha + \rho \mathbf{W} \mathbf{Y}^{(2)} \text{ and } a = 1 / \|\rho^2 \mathbf{W}^2\|_1^{1/4}.$$

Note that the normal distribution is not truncated ($a = \infty$), if \mathbf{W} is a strictly triangular matrix, as it is ensured that $\mathbf{h} > \mathbf{0}$. Generally, it is sufficient that if there exists a permutation such that \mathbf{W} is strictly triangular. In this case, the process is called oriented spARCH process.

- type = "log-spARCH" - simulates a logarithmic spARCH process (log-spARCH), i.e.,

$$\ln \mathbf{h} = \alpha + \rho \mathbf{W} g(\boldsymbol{\varepsilon}).$$

For the log-spARCH process, the errors follow a standard normal distribution. The function g_b is given by

$$g_b(\boldsymbol{\varepsilon}) = (\ln |\boldsymbol{\varepsilon}(\mathbf{s}_1)|^b, \dots, \ln |\boldsymbol{\varepsilon}(\mathbf{s}_n)|^b)'$$

- type = "complex-spARCH" - allows for complex solutions of $\mathbf{h}^{1/2}$ with

$$\mathbf{h} = \alpha + \rho \mathbf{W} \mathbf{Y}^{(2)}.$$

The errors follow a standard normal distribution.

Value

The functions returns a vector \mathbf{y} .

Control Arguments

- seed - positive integer to initialize the random number generator (RNG), default value is a random integer in $[1, 10^6]$
- silent - if FALSE, current random seed is reported
- triangular - if TRUE, \mathbf{W} is a triangular matrix and there are no checks to verify this assumption (default FALSE)

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

References

Philipp Otto, Wolfgang Schmid, Robert Garthoff (2018). Generalised Spatial and Spatiotemporal Autoregressive Conditional Heteroscedasticity. *Spatial Statistics* 26, pp. 125-145. doi:[10.1016/j.spasta.2018.07.005](https://doi.org/10.1016/j.spasta.2018.07.005), arXiv: doi:[10.48550/arXiv.1609.00711](https://doi.org/10.48550/arXiv.1609.00711)

Examples

```
require("spdep")

# 1st example
#####

# parameters

rho <- 0.5
alpha <- 1
d <- 2

nblast <- cell2nb(d, d, type = "queen")
W <- nb2mat(nblast)

# simulation

Y <- sim.spARCH(rho = rho, alpha = alpha, W = W, type = "log-spARCH")

# visualization

image(1:d, 1:d, array(Y, dim = c(d,d)), xlab = expression(s[1]), ylab = expression(s[2]))

# 2nd example
#####

# two spatial weighting matrices W_1 and W_2
# h = alpha + rho_1 W_1 Y^2 + rho_2 W_2 Y^2

W_1 <- W
nblast <- cell2nb(d, d, type = "rook")
W_2 <- nb2mat(nblast)
```

```

rho_1 <- 0.3
rho_2 <- 0.7

W <- rho_1 * W_1 + rho_2 * W_2
rho <- 1

Y <- sim.spARCH(n = d^2, rho = rho, alpha = alpha, W = W, type = "log-spARCH")
image(1:d, 1:d, array(Y, dim = c(d,d)), xlab = expression(s[1]), ylab = expression(s[2]))

```

sim.spGARCH

Simulation of spatial ARCH models

Description

The function generates n random numbers of a spatial GARCH process for given parameters and weighting schemes.

Usage

```

sim.spGARCH(n = dim(W1)[1], rho, lambda, alpha, W1, W2,
            b = 2, zeta = 0.5, theta = 0.5, type = "spGARCH",
            control = list())

```

Arguments

<code>n</code>	number of observations. If $\text{length}(n) > 1$, the length is taken to be the number required. Default $\text{dim}(W1)[1]$
<code>rho</code>	spatial dependence parameter rho
<code>lambda</code>	spatial dependence parameter lambda
<code>alpha</code>	unconditional variance level alpha
<code>W1</code>	n times n spatial weight matrix (ARCH component, parameter rho)
<code>W2</code>	n times n spatial weight matrix (GARCH component, parameter lambda)
<code>b</code>	parameter b for logarithmic spatial GARCH (only needed if <code>type = "log-spGARCH"</code>). Default 2.
<code>zeta</code>	parameter ζ for exponential spatial GARCH (only needed if <code>type = "e-spGARCH"</code>). Default 0.5.
<code>theta</code>	parameter θ for exponential spatial GARCH (only needed if <code>type = "e-spGARCH"</code>). Default 0.5.
<code>type</code>	type of simulated spGARCH process (see details)
<code>control</code>	list of control arguments (see below)

Details

The function simulates n observations $Y = (Y_1, \dots, Y_n)'$ of a spatial GARCH process, i.e.,

$$Y = \text{diag}(\mathbf{h})^{1/2} \varepsilon,$$

where ε is a spatial White Noise process. The definition of \mathbf{h} depends on the chosen type. The following types are available.

- type = "spGARCH" - simulates ε from a truncated normal distribution on the interval $[-a, a]$, such that $\mathbf{h} > 0$ with

$$\mathbf{h} = \alpha + \rho \mathbf{W}_1 Y^{(2)} + \lambda \mathbf{W}_2 \mathbf{h} \text{ and } a = 1 / \|\rho^2 \mathbf{W}_1^2\|_1^{1/4}.$$

Note that the normal distribution is not truncated ($a = \infty$), if \mathbf{W}_1 is a strictly triangular matrix, as it is ensured that $\mathbf{h} > \mathbf{0}$. Generally, it is sufficient that if there exists a permutation such that \mathbf{W}_1 is strictly triangular. In this case, the process is called oriented spGARCH process.

- type = "e-spGARCH" - simulates an exponential spARCH process (e-spGARCH), i.e.,

$$\ln \mathbf{h} = \alpha + \rho \mathbf{W}_1 g(\varepsilon) + \lambda \mathbf{W}_2 \log(\mathbf{h}).$$

For the e-spGARCH process, the errors follow a standard normal distribution. The function g is given by

$$g(\varepsilon) = \Theta \varepsilon + \zeta (|\varepsilon| - E(|\varepsilon|)).$$

- type = "log-spGARCH" - simulates a logarithmic spARCH process (log-spGARCH), i.e.,

$$\ln \mathbf{h} = \alpha + \rho \mathbf{W}_1 g(\varepsilon) + \lambda \mathbf{W}_2 \log(\mathbf{h}).$$

For the log-spGARCH process, the errors follow a standard normal distribution. The function g is given by

$$g(\varepsilon) = (\ln |\varepsilon(\mathbf{s}_1)|^b, \dots, \ln |\varepsilon(\mathbf{s}_n)|^b)'$$

- type = "complex-spGARCH" - allows for complex solutions of $\mathbf{h}^{1/2}$ with

$$\mathbf{h} = \alpha + \rho \mathbf{W}_1 Y^{(2)} + \lambda \mathbf{W}_2 \mathbf{h}.$$

The errors follow a standard normal distribution.

Value

The functions returns a vector \mathbf{y} .

Control Arguments

- seed - positive integer to initialize the random number generator (RNG), default value is a random integer in $[1, 10^6]$
- silent - if FALSE, current random seed is reported
- triangular - if TRUE, \mathbf{W} is a triangular matrix and there are no checks to verify this assumption (default FALSE)

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

References

Philipp Otto, Wolfgang Schmid (2019). Spatial GARCH Models - A Unified Approach. arXiv: [doi:10.48550/arXiv.1908.08320](https://doi.org/10.48550/arXiv.1908.08320)

Examples

```
require("spdep")

# 1st example (spatial GARCH)
#####

# parameters

rho    <- 0.5
lambda <- 0.3
alpha  <- 1
d      <- 5

nblast <- cell2nb(d, d, type = "rook") # lattice process with Rook's contiguity matrix
W_1    <- nb2mat(nblast)
W_2    <- W_1

# simulation

Y      <- sim.spGARCH(rho = rho, lambda = lambda, alpha = alpha,
                    W1 = W_1, W2 = W_2, type = "spGARCH")

# visualization

image(1:d, 1:d, array(Y, dim = c(d,d)), xlab = expression(s[1]), ylab = expression(s[2]))

# 2nd example (exponential spatial GARCH)
#####

# parameters

rho    <- 0.5
lambda <- 0.3
alpha  <- 1
zeta   <- 0.5
theta  <- 0.5
d      <- 5

nblast <- cell2nb(d, d, type = "rook") # lattice process with Rook's contiguity matrix
W_1    <- nb2mat(nblast)
W_2    <- W_1

# simulation
```

```

Y      <- sim.spGARCH(rho = rho, lambda = lambda, alpha = alpha,
                    W1 = W_1, W2 = W_2, zeta = zeta, theta = 0.5, type = "e-spGARCH")

# visualization

image(1:d, 1:d, array(Y, dim = c(d,d)), xlab = expression(s[1]), ylab = expression(s[2]))

```

spARCH

Output of Quasi-Maximum-Likelihood Estimation

Description

The spARCH class is a class generated by the estimation functions `qml.spARCH` or `qml.SARspARCH` comprising the results of the quasi-maximum-likelihood estimation.

Methods

Several generic methods for summarizing the results are available:

`plot.spARCH` - Descriptive plots for residuals of a fitted spatial ARCH model

`plot(spARCH_object)` `summary(spARCH_object)` `summary.spARCH` - The function returns a summary of the model fit of a spatial ARCH model

`fitted(spARCH_object)` `fitted.spARCH` - The function extracts the fitted values of a spatial ARCH model.

spGARCH

spGARCH - Package to fit spatial ARCH models

Description

A collection of functions for simulating and fitting spatial autoregressive conditional heteroscedasticity (spARCH) processes are provided.

The functions `sim.spARCH` and `sim.spGARCH` are the main function for simulating spARCH and spGARCH processes, respectively. Via the argument `type` several types of spatial ARCH and GARCH can be simulated, e.g., exponential spARCH models, spARCH for oriented processes, or spARCH processes with truncated error support. For details, refer the paper Otto, Schmid, and Garthoff (2018), see [doi:10.1016/j.spasta.2018.07.005](https://doi.org/10.1016/j.spasta.2018.07.005). Moreover, the package provides function for fitting spARCH models. Basically, there are two functions to fit these kind of model: `qml.spARCH` and `qml.SARspARCH`. First, spARCH models can be fitted by `qml.spARCH`.

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

References

Philipp Otto, Wolfgang Schmid, Robert Garthoff (2018). Generalised Spatial and Spatiotemporal Autoregressive Conditional Heteroscedasticity. *Spatial Statistics* 26, pp. 125-145. doi:10.1016/j.spasta.2018.07.005, arXiv: doi:10.48550/arXiv.1609.00711

summary.spARCH	<i>Summary for spARCH object</i>
----------------	----------------------------------

Description

The function returns a summary of the model fit of a spatial ARCH model (`qml.spARCH` or `qml.SARspARCH`).

Usage

```
## S3 method for class 'spARCH'
summary(object, ...)
## S3 method for class 'summary.spARCH'
print(x, digits = max(5, .Options$digits - 3),
      signif.stars = TRUE, ...)
## S3 method for class 'spARCH'
print(x, ...)
```

Arguments

<code>object</code>	<code>spARCH</code> object generated by <code>qml.spARCH</code> or <code>qml.SARspARCH</code> .
<code>digits</code>	The number of significant digits to be printed.
<code>signif.stars</code>	Logical variable. If TRUE, significance stars are printed for each coefficient.
<code>x</code>	<code>spARCH</code> object of <code>qml.spARCH</code> .
<code>...</code>	further arguments passed to or from other methods

Details

The function `summary.spARCH` returns an `spARCH` object with all results (coefficients, residuals, diagnostic checks etc.). If the returned object is printed, a detailed summary of the model fit is returned.

Value

The function returns the input `spARCH` object, plus

<code>Coef</code>	a matrix with columns for the estimated coefficients, their standard error, t-statistics and corresponding (two-sided, asymptotic) p-values.
<code>AIC</code>	Akaike information criterion
<code>BIC</code>	Bayesian Schwarz information criterion
<code>moran_res</code>	Test on spatial spatial autocorrelation of the residuals (based on Morans I, <code>moran.test</code>).
<code>moran_sq_res</code>	Test on spatial spatial autocorrelation of the squared residuals (based on Morans I, <code>moran.test</code>).

Note

For further details about the Moran's I test see [moran.test](#).

Author(s)

Philipp Otto <philipp.otto@glasgow.ac.uk>

See Also

The model fitting functions [qml.spARCH](#) and [qml.SARspARCH](#). Function [coef](#) will extract the matrix of coefficients with standard errors, t-statistics and p-values.

Examples

```
require("spdep")

# directional spatial ARCH process (W is triangular, 1:1 origin)

rho <- 0.5
alpha <- 1
d <- 5
n <- d^2
nblist <- cell2nb(d, d, type = "queen")
W <- nb2mat(nblist)
W[lower.tri(W)] <- 0
y <- sim.spARCH(n = n, rho = rho, alpha = alpha, W = W, type = "spARCH")

out <- qml.spARCH(y ~ 0, W = W, type = "spARCH")

summary(out)
```

Index

- * **QML SARspARCH**
 - qml.SARspARCH, 6
 - * **QML spARCH**
 - qml.spARCH, 9
 - * **Spatial ARCH Model**
 - qml.spARCH, 9
 - * **Spatial Autoregressive Model with spARCH Residuals**
 - qml.SARspARCH, 6
 - * **datasets**
 - prostate_cancer, 5
 - * **spARCH**
 - sim.spARCH, 12
 - summary.spARCH, 19
 - * **spGARCH**
 - sim.spGARCH, 15
 - * **spatial ARCH**
 - sim.spARCH, 12
 - * **spatial GARCH**
 - sim.spGARCH, 15
- coef, 20
- extractAIC.spARCH, 2
- fitted.spARCH, 3, 4, 12, 18
- formula, 6, 7, 9, 10
- lm, 7, 10
- logLik.spARCH, 3, 3
- moran.test, 19, 20
- plot.spARCH, 4, 7, 18
- print.spARCH(summary.spARCH), 19
- print.summary.spARCH(summary.spARCH), 19
- prostate_cancer, 5
- qml.SARspARCH, 3, 4, 6, 12, 18–20
- qml.spARCH, 3, 4, 9, 10, 12, 18–20
- residuals.spARCH, 3, 4, 12, 12
- Rsolnp, 7, 8, 10, 11
- sim.spARCH, 12, 18
- sim.spGARCH, 15, 18
- solnp, 7, 8, 10, 11
- spARCH, 4, 7, 10, 18, 19
- spARCH-class(spARCH), 18
- spGARCH, 18
- summary.spARCH, 18, 19