

BSgenome.Osativa.MSU.MSU7

October 20, 2017

BSgenome.Osativa.MSU.MSU7

Oryza sativa full genome (MSU7)

Description

Oryza sativa full genome as provided by MSU (MSU7 Genome Release) and stored in Biostrings objects.

Note

This BSgenome data package was made from the following source data files:

ftp://ftp.plantbiology.msu.edu/pub/data/Eukaryotic_Projects/o_sativa/annotation_dbs/pseudomolecul

See [?BSgenomeForge](#) and the BSgenomeForge vignette (`vignette("BSgenomeForge")`) in the BSgenome software package for how to make a BSgenome data package.

Author(s)

Wen Yao <ywhzau@gmail.com>

See Also

[BSgenome-class](#), [DNAString-class](#), [available.genomes](#), [BSgenomeForge](#)

Examples

```
BSgenome.Osativa.MSU.MSU7
genome <- BSgenome.Osativa.MSU.MSU7
seqlengths(genome)
genome$Chr1 # same as genome[["Chr1"]]

if ("AGAPS" %in% masknames(genome)) {

  ## Check that the assembly gaps contain only Ns:
  checkOnlyNsInGaps <- function(seq)
  {
```

```
## Replace all masks by the inverted AGAPS mask
masks(seq) <- gaps(masks(seq)[["AGAPS"]])
unique_letters <- uniqueLetters(seq)
if (any(unique_letters != "N"))
  stop("assembly gaps contain more than just Ns")
}

## A message will be printed each time a sequence is removed
## from the cache:
options(verbose=TRUE)

for (seqname in seqnames(genome)) {
  cat("Checking sequence", seqname, "... ")
  seq <- genome[[seqname]]
  checkOnlyNsInGaps(seq)
  cat("OK\n")
}
}

## See the GenomeSearching vignette in the BSgenome software
## package for some examples of genome-wide motif searching using
## Biostrings and the BSgenome data packages:
if (interactive())
  vignette("GenomeSearching", package="BSgenome")
```

Index

*Topic **data**

 BSgenome.Osativa.MSU.MSU7, [1](#)

*Topic **package**

 BSgenome.Osativa.MSU.MSU7, [1](#)

available.genomes, [1](#)

BSgenome-class, [1](#)

 BSgenome.Osativa.MSU.MSU7, [1](#)

 BSgenome.Osativa.MSU.MSU7-package

 (BSgenome.Osativa.MSU.MSU7), [1](#)

 BSgenomeForge, [1](#)

DNAString-class, [1](#)

Osativa (BSgenome.Osativa.MSU.MSU7), [1](#)